

BILLY GOAT

Aerator's

Specs:

Model: **AE401H** - 4.0 HP Honda GX, **AE401** - 5.5 HP B&S Engine

Tine Width: 18"

Tine Depth: 2.7"

Tine Pattern: 4.5x7" up to 9 plugs per sq. ft.

Dimensions: 57" L x 29" W s 52.5" H

Productivity: Up to 29,000 sq. ft. per hour



Thatcher's

Thatch Removal, Vertislicing (slicing reel required), Overseeding

Specs:

Model: **CR550H** - 5.5 HP Honda GX Engine

Rake Width – 20"

Productivity – 13,200 sq. ft. per hour @ 1.5 MPH



Blower's

Leaf & Debris Removal, Litter Removal, Pavement Surface Prep

Specs:

Model: **F901H** – 9 HP Honda GX

Fuel Capacity: 6.4Qt.

Unit Weight: 148 lbs.
Discharge Size: 4 inch



Vacuum's

Leaf & Debris Removal, Litter Removal

Specs:

Model: **KV600** – B&S Engine push, **KV650H** – Honda Power GSV190 push

Debris Bag: 40 gallon hard bottom

Impeller: 5-bladed ¼" steel

Weight: 132 lbs.

Productivity: 35,640 sq. ft. per hour @ 3 MPH



Specs:

Model: **MV650H** – 6.5HP Honda push

Debris Bag: 32 gallon bag

Impeller: Robotically welded ¼: armor plate steel 6 bladed

Weight: 162 lbs.

Fuel Capacity: 1.16 Qt.



Sod Cutter's

Sod Removal

Specs:

Model: **SC121H** – 5.5HP Honda OHV

Cutting Width: 12”

Cutting Depth: Max of 1.38”

Weight: 161 lbs.

